NH Public Utilities Commission

REC Aggregator Portal

NHPUC 25MAR'16au11:49

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE	
Basic Information	
Who is submitting this request?	
Aggregator	
33.33	
Aggregator Batch Number	
KE032116	
Are you registered in NH	
Yes	
O No	
Aggregator name	
Knollwood Energy - 14625	
NH Reg #	

Aggregator Email	
karenton@knollwoodenergy.com	
<u> </u>	
Other Aggregator name	
Other aggregator email address	
Circle aggregates ornal accides	
Facility Name	
Facility Owner Name	
Mark Prescott	
	The second secon

Facility Owner email
mpsp52497@comcast.net
Owner Phone
603-483-0942
Facility Address
8 Jane Drive
Facility Town/City
Candia
Facility State
NH
Facility Zip
03034
Yes No No Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address	
Facility Information	
Class	
IN .	
Utility	
Eversource	
Other Utility Name	
To obtain a GIS ID contact:	
James Webb	
408 517 2174	
jwebb@apx.com	
GIS ID (include "NON")	
NON73830	
Date of Initial Operation	
03/07/2016	
Facility Operator Name, if applicable	
Panel Quantity	
22	
Panel Make	
Sunpower	
Panel Model	
Other	
Panel Rated Output	
320	20-2-11
System capacity based on panels	1000
7040	

*

Inverter Quantity
22
Inverter Make
Other
Add'l Inverter Quantity
NA
Additional Inverter Make
None
Rated Output - Primary Inverter
320
Rated Output - Additional Inverter
System capacity based on single inverter make
7040
System capacity based on two inverter types
Cyctom, consoity, in kW as stated on the interconnection agreement
System capacity in kW as stated on the interconnection agreement 7.04
7.04
Revenue Grade Meter Make
Hialeah
Was this facility installed directly by the customer (no electrician involved)?
O Yes
No
Electrician Name & Number
Troy Diamond 12218M
Other Electrician Name & Number
Installation Company
Granite State Solar

.

Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
YesNo
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6370362_tzCgBaLA_prescott_ex_b_complete_1COC.pdf
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6370362_u5vSu9sW_Prescott_NHOS.pdf

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6370362_N1biWTZE_prescott_ex_b_complete-SPIA.pd

Aggregator statement of accuracy

Kon Ja

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.


Print Name

Karen Tonnesen

Date Signed

03/21/2016

EVERSOURCE - NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



Simplified Process Interconnection Application and Service Agreement

	Eversource Application l	Project ID#:	N4940
Contact Information:			
Legal Name and Address of Interconnecting Custome	er (or Company name if anoronris	ate)	
Customer or Company Name (print): Mark Prescott	e (or, company manne, it approprie	40,	
Contact Person, if Company:			
Mailing Address: 8 Jane Dr			hen gymine i
City: Candla State:	New Hampshire	7in Coder	03034
Telephone (Daytime): (603) 483-0942	(Evening):		
Facsimile Number:		2497@comcas	tnet
i additino 14 dinoci.	E-Wall Address:		
Alternative Contact Information (e.g., System instr Name; Granite State Solar	allation contractor or coordinating	company, if ap	ppropriate):
Mailing Address: 197 North Main St			
City: Boscawen State:	New Hampshire	Zin Code:	03303
Telephone (Daytime): (603) 369-4318	(Evening): _		
Facsimile Number:	E-Mail Address: justing	Daranitestatese	lar.com
Name:			
City:State:			
Telephone (Daytime):			
Facsimile Number:	E-Mail Address:		
Facility Site Information:			
Facility (Site) Address: 8 Jane Dr			
City: Candia State:	NH NH	_ Zip Code:	03034
Electric			
Service Company: Eversource Account	nt Number: 56803211010	Meter Nun	nber \$71 069 971
Account and Meter Number: Please consult an actual Number on this application. If the facility is to be inst	Eversource electric bill and enter talled in a new location, please pro	the correct Accorded the Evers	count Number and Meter ource Work Request number
Eversource Work Request #			
Non-Default' Service Customers Only: Competitive Electric			
Energy Supply Company:	Accou	nt Number:	
(Customer's with a Competitive Energy Supply Comp Supply Company.)			ir contract with their Energy

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Info	rmation:			
Generator/		Model Name &		
	SunPower	Number: <u>E20-327</u>	Quantity Phase: Single	: 22
Nameplate Rating:3:	20 (kW)	(kVA) (AC Vo	lts) Phase: Single	Three
	Max AC Nameplate rating o			
System Design Capacit	ty: 7.04 (kW) _	(kVA) Batter	y Backup: Yes No	
0.74623.4	ty: The system total of the inv ate ratings of all inverters.	erter AC ratings. If there ar	e multiple inverters installed in the s	ystem, this is the
Net Metering: If Renev	wably Fueled, will the accoun	t be Net Metered? Yes	No 🗆	
Prime Mover: Photovo	oltaic Reciprocating E	ngine Fuel Cell	Turbine Other	
Energy Source: Solar	Wind Hydro	Diesel Natural Gas	Fuel Oil Other	
Inverter-based Gener UL 1741 / IEEE 1547. Yes No	TO THE RESIDENCE OF THE PARTY O	ac 906 Compliance Path For	Inverter Units, Part Puc 906.01 Invert	er Requirements)
Systems," addresses the submit their equipment term "Listed" is the	e electrical interconnection de t to a Nationally Recognized	esign of various forms of ge resting Laboratory (NRTL) nt and supporting docur	Controllers for Use With Independent merating equipment. Many manufact that verifies compliance with UL mentation. Please include, any double 1547.1 listing.	turers choose to 1741.1. This
Interconnections For Fa	isconnect Switch shall be instacilities, Puc 905,01 Requireme	nts For Disconnect Switches	rt Puc 905 Technical Requirements Fo and 905.02 Disconnect Switch.'	er.
Location of External M	fanual Disconnect Switch: N	ext to the meter		
Project Estimated Insta	ıll Date: December	Project Estin	nated In-Service Date: December	
T-4				
	And the second s		ed in this application is true and I ag	ee to the <u>Terms</u>
Customer Signature:	Malithat	Title: Homeowi	ner Date:	11-18-15
		To the same of the	Diagram must indicate the generatet. Applications without such a dia	
		For Eversource Use On	ly	
Approval to Install F				
		on the Terms and Condition	ns For Simplified Process Interconne	ctions of this
	nent to any system modificati		1.10 2 to 10.00 to 1	
Are system modification	ons required? Yes No	To be Determined		
Company Signature:	Mu Mu	n Title 9	Issaut Date:	44/15
Eversource SPIA rev. 11/	/15		Ensine Page 2 of	5

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No Date of inspection/Witness Test:	Company waives inspection/Witness Test:	Yes A No	Date of inspection/Witness Test:
---------------------------------------------------------------------------------	-----------------------------------------	----------	----------------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
 easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for not metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions;
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

Eversource

Interconnection Standards For Inverters Sized Up To 100 kVA Exhibit B - Certificate of Completion for Simplified Process Interconnections

Check if owner-installed Installation Information: Customer or Company Name (print): Mark Prescott Contact Person, if Company: Mailing Address: 8 Jane Dr City: Candia State: New Hampshire Zip Code: 03034 Telephone (Daytime): (603) 483-0942 (Evening): Facsimile Number: E-Mail Address: mpsp62497@comcast.net Eversource Meter # 71 069 971 Facility Information: -> Address of Facility (if different from above): State: Zip Code: Electrical Contractor Contact Information: Electrical Contractor's Name (if appropriate): Granite State Solar Mailing Address: 197 North Main St City: Boscawen State: New Hampshire Zip Code: 03303 Telephone (Daytime): __(603) 369-4318 _____ (Evening): ____ E-Mail Address: justin@granitestatesolar.com Facsimile Number: License number: 0366 C Eversource Application ID number: #N 4940 Inspection: The system has been installed and inspected in compliance with the local Building/Electrical Code of: County: Kockings have Signed (Local-Electrical Wiring Inspector, or attach signed electrical inspection): Name (printed): **Customer Certification:** I hereby certify that, to the best of my knowledge, all information contained in this Exhibit B - Certification of Completion is true and correct. This system has been installed and shall be operated in compliance with applicable

standards. Also, the initial start-up test required by Puc. 905.04 has been successfully completed.

Please remember to provide digital photos of the installation, including the AC disconnect switch (if required), the existing Eversource meter, the inverters, and the point of electrical interconnection.

Customer Signature:

As a condition of interconnection you are required to send/fax a copy of this form to:

Eversource Distributed Generation 780 North Commercial Street P. O. Box 330, Manchester, NH 03105-0330 Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the host of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitur, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

MARK PRESCOTT

Printed Name of signature owner

Signature of system owner